

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search PubMed	for 2'-O-methoxyethyl modification					Go	Clear
Limits		Preview/Index		History		Clipboard	

Display	Summary	Save	Text	Order	Details	Add to Clipboard
Show: 20	Items 1-7 of 7					One p

- ☐ 1: An H, Wang T, Maier MA, Manoharan M, Ross BS, Cook PD.

Related Ar

Synthesis of novel 3'-c-methylene thymidine and 5-methyluridine/cytidine h-phosphonates and phosphonamidites for new backbone modification of oligonucleotides.

J Org Chem. 2001 Apr 20;66(8):2789-801.

PMID: 11304203 [PubMed - in process]

- ☐ 2: Geary RS, Watanabe TA, Truong L, Freier S, Lesnik EA, Sioufi NB, Sasmor H, Manoharan M, Levin AA.

Related Ar

Pharmacokinetic properties of 2'-O-(2-methoxyethyl)-modified oligonucleotide analogs in rats.

J Pharmacol Exp Ther. 2001 Mar;296(3):890-7.

PMID: 11181921 [PubMed - indexed for MEDLINE]

- ☐ 3: Khatsenko O, Morgan R, Truong L, York-Defalco C, Sasmor H, Conklin B, Geary RS.

Related Ar

Absorption of antisense oligonucleotides in rat intestine: effect of chemistry and length.

Antisense Nucleic Acid Drug Dev. 2000 Feb;10(1):35-44.

PMID: 10726659 [PubMed - indexed for MEDLINE]

- ☐ 4: Teplova M, Minasov G, Tereshko V, Inamati GB, Cook PD, Manoharan M, Egli M.

Related Articles, Nucleotide, Struc

Crystal structure and improved antisense properties of 2'-O-(2-methoxyethyl)-RNA

Nat Struct Biol. 1999 Jun;6(6):535-9.

PMID: 10360355 [PubMed - indexed for MEDLINE]

- ☒ 5: Lind KE, Mohan V, Manoharan M, Ferguson DM.

Related Ar

Structural characteristics of 2'-O-(2-methoxyethyl)-modified nucleic acids from molecular dynamics simulations.

Nucleic Acids Res. 1998 Aug 15;26(16):3694-799.

PMID: 9685484 [PubMed - indexed for MEDLINE]

- ☐ 6: Monia BP.

Related Ar

First- and second-generation antisense oligonucleotide inhibitors targeted against human c-raf kinase.

Ciba Found Symp. 1997;209:107-19; discussion 119-23. Review.

PMID: 9383572 [PubMed - indexed for MEDLINE]

- ☐ 7: Bennett GN, Gough GR, Gilham PT.


Related Ar

QP620  
NB

Guanosine tetraphosphate and its analogues. Chemical synthesis of guanosine 3',5'-dipyrophosphate, deoxyguanosine 3',5'-dipyrophosphate, guanosine 2',5'-bis(methylenediphosphonate), and guanosine 3',5'-bis(methylenediphosphonate). *Biochemistry*. 1976 Oct 19;15(21):4623-8.  
PMID: 184820 [PubMed - indexed for MEDLINE]

Display	Summary	<input checked="" type="checkbox"/>	Save	Text	Order	Details	Add to Clipboard
Show	20	<input type="checkbox"/>	Items 1-7 of 7				One p

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search PubMed	for single strand mung bean nuclease					Go	Clear
Limits Preview/Index History Clipboard							

Entrez  
PubMed

Display	Summary	Save	Text	Order	Details	Add to Clipboard
Show: 20	Items 21-40 of 195		Page 2 of 10		Select page: 1 2 3 4 5 6 7 8	

NEW

PubMed  
SearchPubMed  
Search

- ☐ **21:** Sitte N, Saretzki G, von Zglinicki T. Related Ar  
Accelerated telomere shortening in fibroblasts after extended periods of confluency.  
Free Radic Biol Med. 1998 Apr;24(6):885-93.  
PMID: 9607597 [PubMed - indexed for MEDLINE]
- ☐ **22:** Fojta M, Bowater RP, Stankova V, Havran L, Lilley DM, Palecek E. Related Ar  
Two superhelix density-dependent DNA transitions detected by changes in DNA adsorption/desorption behavior.  
Biochemistry. 1998 Apr 7;37(14):4853-62.  
PMID: 9538002 [PubMed - indexed for MEDLINE]
- ☐ **23:** Petersen S, Saretzki G, von Zglinicki T. Related Ar  
Preferential accumulation of single-stranded regions in telomeres of human fibroblasts.  
Exp Cell Res. 1998 Feb 25;239(1):152-60.  
PMID: 9511733 [PubMed - indexed for MEDLINE]
- ☐ **24:** Legault J, Tremblay A, Mirault ME. Related Ar  
Preferential localization of DNA damage induced by depurination and bleomycin in a plasmid containing a scaffold-associated region.  
Biochem Cell Biol. 1997;75(4):369-75.  
PMID: 9493959 [PubMed - indexed for MEDLINE]
- ☐ **25:** Fu GK, Markovitz DM. Related Ar  
The human LON protease binds to mitochondrial promoters in a single-stranded, site-specific, strand-specific manner.  
Biochemistry. 1998 Feb 17;37(7):1905-9.  
PMID: 9485316 [PubMed - indexed for MEDLINE]
- ☐ **26:** Yamazaki T, Hasebe T, Shouguchi J, Amano H, Kajiwara S, Shishido K. Related Ar  
Structure and function in Escherichia coli of plasmids containing pyrimidine/purine-biased stretch originated from the 5'-flanking region of the basidiomycete ras gene.  
J Biochem (Tokyo). 1997 Oct;122(4):696-702.  
PMID: 9399570 [PubMed - indexed for MEDLINE]
- ☐ **27:** Christin L, Wysong DR, Meshulam T, Wang S, Diamond RD. Related Ar  
Mechanisms and target sites of damage in killing of Candida albicans hyphae by human polymorphonuclear neutrophils.  
J Infect Dis. 1997 Dec;176(6):1567-78.

PMID: 9395369 [PubMed - indexed for MEDLINE]

☐ **28:** Yu JS, Noll KM.

Related Ar

Plasmid pRQ7 from the hyperthermophilic bacterium *Thermotoga* species strain R replicates by the rolling-circle mechanism.

J Bacteriol. 1997 Nov;179(22):7161-4.

PMID: 9371465 [PubMed - indexed for MEDLINE]

☐ **29:** Tawa R, Takami M, Imakura Y, Lee KH, Sakurai H.

Related Ar

Breaks in double-strand DNA by Cu(II) complexes of etoposide (VP-16) and its derivatives, as evaluated by S1 nuclease treatment.

Biol Pharm Bull. 1997 Sep;20(9):1002-5.

PMID: 9331985 [PubMed - indexed for MEDLINE]

☐ **30:** Tsurumi T, Yamada H, Daikoku T, Yamashita Y, Nishiyama Y.

Related Ar

Strand displacement associated DNA synthesis catalyzed by the Epstein-Barr virus DNA polymerase.

Biochem Biophys Res Commun. 1997 Sep 8;238(1):33-8.

PMID: 9299446 [PubMed - indexed for MEDLINE]

☐ **31:** Legault J, Tremblay A, Ramotar D, Mirault ME.

Related Ar

Clusters of S1 nuclease-hypersensitive sites induced in vivo by DNA damage.

Mol Cell Biol. 1997 Sep;17(9):5437-52.

PMID: 9271420 [PubMed - indexed for MEDLINE]

☐ **32:** Sutani T, Yanagida M.

Related Ar

DNA renaturation activity of the SMC complex implicated in chromosome condensation.

Nature. 1997 Aug 21;388(6644):798-801.

PMID: 9285594 [PubMed - indexed for MEDLINE]

☐ **33:** Lundin K, Wilichowski E, Ernst BP, Hanefeld F.

Related Ar

S1 nuclease hybrid analysis of mitochondrial DNA amplified by long-distance PCR rapid screening for small-scale rearrangements.

Nucleic Acids Res. 1997 Jun 15;25(12):2535-6.

PMID: 9171111 [PubMed - indexed for MEDLINE]

☐ **34:** Birikh KR, Berlin YA, Soreq H, Eckstein F.

Related Ar

Probing accessible sites for ribozymes on human acetylcholinesterase RNA.

RNA. 1997 Apr;3(4):429-37.

PMID: 9085849 [PubMed - indexed for MEDLINE]

☐ **35:** Carles-Kinch K, Kreuzer KN.

Related Ar

RNA-DNA hybrid formation at a bacteriophage T4 replication origin.

J Mol Biol. 1997 Mar 14;266(5):915-26.

PMID: 9086270 [PubMed - indexed for MEDLINE]

☐ **36:** Furrer P, Bednar J, Stasiak AZ, Katritch V, Michoud D, Stasiak A, Dubochet J.

Related Ar

Opposite effect of counterions on the persistence length of nicked and non-nicked DNA.

J Mol Biol. 1997 Mar 7;266(4):711-21.

PMID: 9102464 [PubMed - indexed for MEDLINE]

☐ **37:** Evans E, Fellows J, Coffe A, Wood RD.

Related Ar

Open complex formation around a lesion during nucleotide excision repair provide structure for cleavage by human XPG protein.

EMBO J. 1997 Feb 3;16(3):625-38.

PMID: 9034344 [PubMed - indexed for MEDLINE]

☐ **38:** Praseuth D, Grigoriev M, Guieysse AL, Pritchard LL, Harel-Bellan A, Nielsen PE, Helene C.

Related Ar

Peptide nucleic acids directed to the promoter of the alpha-chain of the interleukin-receptor.

Biochim Biophys Acta. 1996 Dec 11;1309(3):226-38.

PMID: 8982260 [PubMed - indexed for MEDLINE]

☐ **39:** Liu B, Maul RS, Kaetzel DM Jr.

Related Articles, Nucle

Repression of platelet-derived growth factor A-chain gene transcription by an upstream silencer element. Participation by sequence-specific single-stranded DNA-binding proteins.

J Biol Chem. 1996 Oct 18;271(42):26281-90.

PMID: 8824279 [PubMed - indexed for MEDLINE]

☐ **40:** Bayarsaihan D, Enkhmandakh B, Lukens LN.

Related Ar

Y-box proteins interact with the S1 nuclease-sensitive site in the chicken alpha 2(I) collagen gene promoter.

Biochem J. 1996 Oct 1;319 ( Pt 1):203-7.

PMID: 8870670 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Save	Text	Order	Details	Add to Clipboard
Show:	20	▼	Items 21-40 of 195		Page 2 of 10	Select page:	1 2 3 4 5 6 7 8

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)